UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,806	05/12/2006	Thomas A. Fairfull	5007304-9	6986
	7590 02/18/201 NE, BRITT & BROW	EXAMINER		
1000 WALNUT STREET SUITE 1400 KANSAS CITY, MO 64106-2140			MENDEZ, ZULMARIAM	
			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			02/18/2010	PAPER

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summers	10/595,806	FAIRFULL ET AL.				
Office Action Summary	Examiner	Art Unit				
	ZULMARIAM MENDEZ	1795				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 12 M	av 2006					
	Responsive to communication(s) filed on <u>12 May 2006</u> .  This action is <b>FINAL</b> .  2b) This action is non-final.					
· <u> </u>	, <del></del>					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under Ex parte Quayle, 1955 C.D. 11, 455 C.G. 215.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-14</u> is/are pending in the application.	Claim(s) 1-14 is/are pending in the application.					
4a) Of the above claim(s) is/are withdraw	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) 1-14 are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal Pa 6)  Other:	te				

Application/Control Number: 10/595,806 Page 2

Art Unit: 1795

## **DETAILED ACTION**

## Election/Restrictions

1. Restriction is required under 35 U.S.C. 121 and 372.

- 2. This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.
- 3. In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.
  - a. Group I, claim(s) 1-3, drawn to a hydrolysis cell for generating hydrogen and oxygen from water.
  - b. Group II, claim(s) 4-6, drawn to an electrode.
  - c. Group III, claim(s) 7-13, drawn to a hydrolysis cell.
  - d. Group IV, claim(s) 14, drawn to a hydrolysis system.
- 4. The inventions listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the inventions lack the same or corresponding special technical features for the following reasons: Any international application must relate to one invention only or to a group of inventions so linked as to form a single general inventive concept (see MPEP 1850). As demonstrated by the US Patent No's. 4,442,801; 4,028,208; 4,046,665 and 4,429,297, at least one independent claim of the application does not avoid the prior art since the prior art discusses an electrode for a hydrolysis cell comprising a series of vertically or horizontally oriented perforated electrically conductive wafers, spaced from each other in a congruent stack and a connector

Art Unit: 1795

rod upon which the wafers are mounted and connect each one to an electrical circuit. Therefore, the special technical feature of at least Group II of the application is anticipated by or obvious in view of the prior art. Consequently, the invention does not relate to a single general inventive concept under PCT Rule 13.1.

- 5. Applicant is advised that the reply to this requirement to be complete must include (i) an election of an invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.
- 6. The election of an invention may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.
- 7. Should applicant traverse on the ground that the inventions are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.
- 8. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship

Art Unit: 1795

must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

## Conclusion

- 9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ZULMARIAM MENDEZ whose telephone number is (571)272-9805. The examiner can normally be reached on Monday-Friday from 9am to 5pm.
- 10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alexa Neckel can be reached on 571-272-1446. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Z. M./ Examiner, Art Unit 1795 /Harry D Wilkins, III/ Primary Examiner, Art Unit 1795 Application/Control Number: 10/595,806 Page 5

Art Unit: 1795